

Physical & Performance

| | |
|------------------------------|---|
| Physical dimensions | 11.4" x 6.5" x 2.4" (28.2 x 16.4 x 6.0 cm) |
| Water rating | IPX7 |
| Mounting options | Bail or flush |
| Antenna | Internal or external over NMEA 2000 |
| Receiver | 5 Hz |
| Display size | 7.8" x 4.8"; 9" diagonal (19.9 x 11.3 cm; 22.9 cm diagonal) |
| Display resolution | 400 x 800 pixels |
| Weight | 2.3 lbs (1.0 kg) |
| Display type | WVGA display |

Maps & Navigation

| | |
|--------------------|-------------------------------------|
| Accepts data cards | 1 microSD™ card; 32 GB maximum size |
| Track log | 50,000 points; 50 saved tracks |
| Preloaded maps | BlueChart® g3 (coastal maps) |
| Routes | 100 |

Features

| | |
|---------------------------------|--|
| Maximum depth | 2,300 ft @ 77 kHz, freshwater 1,100 ft @ 77 kHz, saltwater (depth capacity is dependent on water bottom type and other w |
| Wireless remote compatible | No |
| J1939 Compatible | No |
| Dual-frequency (50/200 kHz) s | Yes |
| Transmit power | 500 W (RMS) / 4,000 W (peak to peak) |
| SiriusXM™ Weather & Radio c | No |
| Polarized support | No |
| Water temperature log and gra | Yes |
| Supports FUSION-Link™ com | No |
| Power consumption | 18W |
| NMEA 0183 output ports | 1 |
| NMEA 2000® compatible | Yes |
| Bottom lock (shows return from | Yes |
| CHIRP sonar technology | Yes (Built-in) |
| NMEA 0183 compatible | Yes |
| Transducer pin numbers | 12 |
| Supports AIS (tracks target shi | Yes |
| GSD™ Black Box sonar supp | No |
| GCV™ Black Box sonar supp | Yes |
| Sonar history rewind | Yes |
| Video input ports | None |

| | |
|---|---------------------------|
| SideVü | Yes with CHIRP (built-in) |
| ActiveCaptain compatible | Yes |
| GRID™ (Garmin Remote Input) | No |
| Garmin Radar compatible | No |
| Supports DSC (displays position) | Yes |
| Garmin Marine Network™ port | 1 Panoptix™ port |
| Garmin Sonar compatible | Yes |
| NMEA 0183 input ports | 1 |
| Wireless connectivity | Yes |
| Wireless mouse compatible | No |
| Sonar recording | Yes |
| Dual-beam (77/200 kHz) sonar | Yes |
| Waypoints | 5,000 |
| Garmin SmartMode compatible | No |
| Video output ports | None |
| Garmin Meteor™ Audio System | No |
| ClearVü | Yes with CHIRP (built-in) |
| Sailing Features | Yes |
| Tide tables | Yes |

ater conditions)