

## Physical & Performance

Physical dimensions	11.4" x 6.5" x 2.4" (28.2 x 16.4 x 6.0 cm)
<a href="#">Water rating</a>	IPX7
Mounting options	Bail or flush
Antenna	Internal or external over NMEA 2000
Receiver	5 Hz
Display size	7.8" x 4.8"; 9" diagonal (19.9 x 11.3 cm; 22.9 cm diagonal)
Display resolution	400 x 800 pixels
Weight	2.3 lbs (1.0 kg)
Display type	WVGA display

## Maps & Navigation

Accepts data cards	1 microSD™ card; 32 GB maximum size
Track log	50,000 points; 50 saved tracks
Preloaded maps	LakeVü g3 (inland maps)
Routes	100

## Features

Maximum depth	2,300 ft @ 77 kHz, freshwater 1,100 ft @ 77 kHz, saltwater (depth capacity is dependent on water bottom type and other water condit
Wireless remote compatible	No
J1939 Compatible	No
Dual-frequency (50/200 kHz)	Yes
Transmit power	500 W (RMS) / 4,000 W (peak to peak)
SiriusXM™ Weather & Radio	No
Polarized support	No
Water temperature log and g	Yes
Supports FUSION-Link™ cor	No
Power consumption	18W
NMEA 0183 output ports	1
NMEA 2000® compatible	Yes
Bottom lock (shows return frc	Yes
CHIRP sonar technology	Yes (Built-in)
NMEA 0183 compatible	Yes
Transducer pin numbers	12
Supports AIS (tracks target s	Yes
GSD™ Black Box sonar supp	No
GCV™ Black Box sonar supp	Yes
Sonar history rewind	Yes
Video input ports	None

SideVü	Yes with CHIRP (built-in)
ActiveCaptain compatible	Yes
GRID™ (Garmin Remote Inp	No
Garmin Radar compatible	No
Supports DSC (displays posit	Yes
Garmin Marine Network™ po	1 Panoptix™ port
Garmin Sonar compatible	Yes
NMEA 0183 input ports	1
Wireless connectivity	Yes
<a href="#">Wireless mouse compatible</a>	No
Sonar recording	Yes
Dual-beam (77/200 kHz) sona	Yes
Waypoints	5,000
Garmin SmartMode compatib	No
Video output ports	None
Garmin Meteor™ Audio Syste	No
ClearVü	Yes with CHIRP (built-in)
Sailing Features	Yes
Tide tables	Yes

ions)