



Pop Out Stand Design

DC Outputs

SAE 18V/120W



DC SOCKET



USB-C PD



FAST CHARGE



USB



SAE to Anderson cable



SAE to battery clamp cable



300W inverter with battery cable



8Amp controller



Power bank elite 25



Zamp Connector



Furion cable

120W folding solar panel and Accessories

Parts included

Features

- Built in Multiple DC Outputs Including USB / USB-C Fast Charge For Charging Most Of The Portable Devices
- Light Weight And Portable High Power Monocrystalline Solar Panel Charging Most of Your 12V Batteries
- Great for Hiking, Camping, Boating, RV's, Outdoor And Emergency Preparedness
- Pop Out Stand For Optimal Angle Receiving Sunlight
- Plug n Play - Ready to Use



SPECIFICATIONS

Solar Panel

Solar Cells: Monocrystalline

Maximun Power : 120 Watt

Voltage at Pmax(Vmp): 18.0 V

Current at Pmax(Imp): 6.66A

Open circuit voltage(Voc): 21.6 V

Short circuit Current(Isc): 7.32 A

Operating Temperature: -20°C to + 65°C

Reverse charging protect: Yes

DC Outputs

USB: 5V/2.4A

Fast Charge: 5V/3A 9V/2A 12V/1.5A

USB-C PD: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3A

DC Socket: 120W / 18V DC5521



1-800-588-0590

www.naturepowerproducts.com

fb.me/NaturePowerProducts



SHIPPING DETAILS

| | |
|-----------------------|--|
| Item Number: | 55120K |
| UPC Code: | 839290005910 |
| Country of Origin: | Vietnam |
| Panel Dims LxWxH: | 16.3 x 2 x 13.5 (Fold) 80 x 0.2 x 16.4 (Extend) |
| Color box Dims LxWxH: | 18.3 x 2.7 x 15.3 in |
| Product Weight: | - lbs with package - lbs without package |
| Master Quantity: | - |
| Master Dimensions: | 19.5 x 14.8 x 16.7 in |
| Master Weight: | - lbs |

SOLAR POWERED SMARTPHONE CHARGER



3in1 cable



8000mAh

Features

- Uniquely constructed with integrated Li-polymer 8000mAh battery, high efficient monocrystalline solar panel
- Features of waterproof, dustproof, shockproof.
- 2.1A and 1A dual USB output.
- Weather resistant, IPX5 great for outdoor.
- Super bright 20 Pcs of white LED, 600 Lumens.
- Strong and weak LED light mode, SOS
- 3in1 charging cable included.

SPECIFICATIONS

| | |
|-------------------------------|---|
| Solar Panel: | Polycrystalline, 5V / 120mA |
| LED: | 20Pcs x white LED (6000K) 5W/ 600 Lumens (Strong mode) |
| Flash Light: | 1Pcs x white LED (6000K) |
| Battery: | Li-Polymer, 8000mAh |
| Material: | ABS, Rubber |
| Input power: | DC 5.0V / 2A Type-C |
| Output power: | DC 5.0V / 1A, DC 5.0V / 2.1A |
| 3 in1 cable: | Micro USB / Type C / Lighting |
| Operation Temperature: | -25°C-65°C |
| Waterproof Level: | IP64 |



NATURE POWER 300 WATT POWER INVERTER



Features

Convert battery power to household AC power

- 2 x AC Outlet Charging Computers, Runs Fan, Small Power Tools and More
- 300 Watts Continuous Output/ 600 Watts Surge
- 2.1 Amp USB Outlet Charges Tablets, Phones and Most Portable Electronics
- Comes With DC Plug and Battery Clamp cable
- Compact – Easily Stores in any Vehicle

SPECIFICATIONS

AC OUTPUT

Power: 300W (Continuous), 600W(Peak)

Voltage: 110V ± 10%

Frequency: 60±3 Hz

Waveform: Modified sinewave

AC Outlet: 2 x 3Prong AC outlet

DC OUTPUT

USB: 1 x 5V/2.1A

DC INPUT

Voltage (nominal): 12.8-13.2Vdc

Operation Range: 11.0-15.0Vdc

Material: ABS, Stell, Aluminum

PROTECTION:

Input Low Voltage Alarm: 10.2-10.8Vdc

Input Undervoltage Shutdown : 9.2-9.8Vdc

Input Overvoltage Shutdown: 15-16Vdc

Overload Shutdown: 360W-460W

Output Short circuit Protection: Yes

8 AMP SOLAR CHARGE CONTROLLER



Features

- Great for use with cars, boats, rvs, and most 12 volt rechargeable batteries
- Handles up to 8 AMP, 130 Watts of Solar Power
- Protects Battery from Overcharging and Discharging
- Designed to Use With Most 12-Volt Batteries
- Automatic Cut-in and Cut-out
- Plug n play - ready to use

SPECIFICATIONS

Maximum Input Power: 130W

Maximum Input Current: 8A

Cut-In Voltage: 13V

Cut-Out Voltage: 14.2V

Battery Rating: 12V

Battery Type: AGM / GEL / Flooded

Material: Plastic